

Work Order ID 148517

Monday, July 04, 2016 1:45:06 PM

148517

Page 1

Item ID: 646.9703 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Cutter Sub Assembly
 Start Date: 7/5/2016 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 7/8/2016 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: dm Date: 16/07/04 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
646.9700	REV D2

110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									

JUL 06 2016

DAS
6
9-89

120		0.00							
120									
Small Fab	Memo	0.11							
Small Fab	Assemble as per dwg and apply loctite 598 on all faying surfaces per note.								
	A/R RTV LOCTITE 598: <u>135047</u>								
	exp. date: <u>01/18</u>								

DAS
36
9-89

130	QC5- Inspect part completeness to step on W/O	0.00							
130									
QC	Memo	0.01							
Quality Control									

(2)

DAS
38
9-89

JUL 12 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

Work Order ID 148517***148517***

Page 2

Monday, July 04, 2016 1:45:06 PM

Item ID: 646.9703 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Cutter Sub Assembly
Start Date: 7/5/2016 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 7/8/2016 Req'd Qty: 2.00 ***2*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	Identify as per dwg & Stock Location: <u>OK</u>	0.00				<u>2</u>	<u>PC</u>		JUL 12 2016
140									
Packaging	Memo	0.00		DAS					
Packaging	***IDENTIFY AS PER IAW MPP-120***			6					
				9-89					
150	QC21- Final Inspection - Work Order Release	0.00							
150									
QC	Memo	0.03							
Quality Control									

16/7/12 JD

DAS
21 JUL 12 2016
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

Picklist Print

Monday, July 04, 2016 1:45:06 PM

Page 1

Work Order ID: 148517

148517

Parent Item: 646.9703

646 9703

Parent Item Name: Cutter Sub Assembly

Start Date: 7/5/2016

Required Date: 7/8/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP REV:A NEW ISSUE 16-03-07 JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
646.9713		Manufactured	No				Each	5.0000		2			
646 9713									**				
Body													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				CCK013		5				2			
				146990		5							
646.9711		Manufactured	No				Each	18.0000		4			
646 9711									**				
Blade													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				CCK106		18							
				136098		8							
				140971		10							
MS27039-08-19		Purchased	No				Each	640.0000		12			
MS27039-08-19									**				
Screw													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				GA		370							
				m132930		84							
				m133077		22							
				m134063		76							
				m134294		88							
				m135046		100							
				ST277		270							
				m134142		170				12			
				m135133		100							

JUL 06 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause			FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :						
Misidentified	☐	Past Due	☐							

Picklist Print

Monday, July 04, 2016 1:45:06 PM

Page 2

Work Order ID: 148517

148517

Parent Item: 646.9703

646 9703

Parent Item Name: Cutter Sub Assembly

Start Date: 7/5/2016

Required Date: 7/8/2016

Start Qty: 2.00

Required Qty: 2.00

601.2764 NAS1149FN832 Purchased No

Each 0.0000

24

601 2764

**

133709

DAS

WASHER(NAS1149FN832P)

601.1541 MS21042L08 Purchased No

Each 0.0000

12

601 1541

**

134653

6

9.89

Locknut(MS21042L08) (8-32 Thd) (Cad Plated) (100 Q)

DAS

6

9.89

JUL 06 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY					
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____						
Misidentified ☐	Past Due ☐							



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

ENGINEERING CHANGE NOTICE NO.

05360

SHEET 1 OF 1

DWG NO. 646.9700

REV: D

PREPARED
BY

J. BECKER

DATE: 03/24/16

EFFECT ON DWG

☐ INC. ☒ UNINC.

DWG TITLE: CUTTER SUB ASSY

APPROVED BY:

ENGR

MFG

QC

EFF.

CURRENT ORDER

REASON: REVISED DIMENSIONS


ECR:

N/A

ACTION ITEM:

1.

SHEET 7, ZONE C3 IS:



DOCUMENTS EFFECTED

☐ PATTERN ☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM

CHANGE CATEGORY

☐ MAJOR ☒ MINOR

DER REVIEW REQUIRED

☐ YES ☒ NO

w/o 148517

2m 16/07/04.



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

ENGINEERING CHANGE NOTICE NO.

05345

SHEET 1 OF 1

DWG NO. 646.9700

REV: D

PREPARED
BY

J. GARDINER

DATE: 03/15/16

EFFECT ON DWG

☐ INC. ☒ UNINC.

DWG TITLE: CUTTER SUB ASSY

APPROVED BY:

ENGR.

MFG

QC

EFF.

CURRENT ORDER

REASON: REVISED NOTES

ECR:

N/A

ACTION ITEM:

1.


SHEET 1, ZONE A6 IS:

NOTES:

IS

- 1 MATERIAL: ALUMINUM 7075-T651 PER AMS-QQ-A-250/12
- 2 FINISH IAW MPP-172 SECTION 2.1, 3.3 & 4.3.
- 3 MATERIAL: AISI A2 TOOL STEEL
CONDITION: ANNEALED
POST PROCESS: HEAT TREAT TO 58-62 Rc ROCKWELL HARDNESS
- 4 FINISH: PRIME IAW MPP-172 SECTION 3.3; 1-2 MIL MAX
5. DEBURR AND BREAK ALL SHARP EDGES EXCEPT WHERE OTHERWISE NOTED
6. IDENTIFY IAW MPP-120
- 7 APPLY F/N 5 AS REQUIRED TO ALL FAYING SURFACES OF F/N 2 UPON ASSEMBLY
- 8 CUTTING EDGE INTENDED TO BE SHARP, DO NOT BREAK SHARP EDGE
- 9 ALL DIMENSIONS NOT SPECIFIED ARE CONTROLLED BY 646.9710.

SHEET 7, ZONE C5 IS:



DOCUMENTS EFFECTED:

☐ PATTERN ☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM

CHANGE CATEGORY

☐ MAJOR ☒ MINOR

DER REVIEW REQUIRED


☐ YES ☒ NO

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
	LAST PROTOTYPE REVISION: PR2		N/C
NC	INITIAL RELEASE	03/29/09	P. BRAVO
A	INCORPORATED ECN 02744, 03888, 00972	06/06/13	P. BRAVO
B	INCORPORATED ECN 03967	07/03/13	P. BRAVO
C	INCORPORATED ECN 04059	08/09/13	P. BRAVO
D	INCORPORATED ECN 05329	02/26/16	P. BRAVO

NOTES:

- 1 MATERIAL: ALUMINUM 7075-T651 PER AMS-QQ-A-250/12
- 2 FINISH IAW MPP-172 SECTION 3.3 & 4.3.
- 3 MATERIAL: AISI A2 TOOL STEEL
CONDITION: ANNEALED
POST PROCESS: HEAT TREAT TO 58-62 Rc ROCKWELL HARDNESS
- 4 FINISH: PRIME IAW MPP-172 SECTION 3.3; 1-2 MIL MAX
- 5 DEBURR AND BREAK ALL SHARP EDGES EXCEPT WHERE OTHERWISE NOTED
- 6 IDENTIFY IAW MPP-120
- 7 APPLY F/N 5 AS REQUIRED TO ALL FAYING SURFACES OF F/N 2 UPON ASSEMBLY
- 8 CUTTING EDGE INTENDED TO BE SHARP, DO NOT BREAK SHARP EDGE
- 9 ALL DIMENSIONS NOT SPECIFIED ARE CONTROLLED BY 646.9710.




UNINCORPORATED ECN(S)

05345, 05360,


1			8	646.9713	BODY			
	1		7	646.9712	BODY			
6	6	6	6	601.1541	LOCKNUT	MS21042L08		
A/R	A/R	A/R	5	601.2045	RTV, LOCITE 598			
12	12	12	4	601.2764	WASHER	MS1149FH852P		
6	6	6	3	601.2765	SCREW	MS27039-06/19		
2	2	2	2	646.9711	BLADE			
			1	646.9710	BODY			
X				646.9703	CUTTER SUB ASSY			
	X			646.9702	CUTTER SUB ASSY			
		X		646.9701	CUTTER SUB ASSY			
QTY	9702	9701	FIND #	PART #	DESCRIPTION	MATL	SPEC.	
PARTS LIST								
NEXT ASSY (S)				ORIGINAL DATE 05-29-09				
646.9600				DRAWN BY: R. ROSANO, P. BRAVO				
				DRAWING APPROVAL: P. BRAVO				
				CONTRACT NO.				
				UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS .010 3 PLACE DECIMALS .003 ANGLES ± .5°				
				DART AEROSPACE 3030 ENTERPRISE CT., VISTA, CA 92081 (760)-724-5300				
				CUTTER SUB ASSEMBLY				
				TIT (CAGE CODE) DWG. NO. 646.9700 REV. D				
				SCALE: NONE SHEET 1 OF 7				

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.



ORIGINAL DATE 2-10-2010	05-29-09	DART AEROSPACE 3030 ENTERPRISE CT., SUITE A VISTA, CA 92081 (760)-724-5300	
DRAWN BY R. ROSAND	CHECKED P. BRAVO	APICAL INDUSTRIES, INC. DBA DART AEROSPACE	
DRAWING APPROVAL S. BRAVO	05-29-09	CUTTER SUB ASSEMBLY	
CONTRACT NO.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ±.5°		SHEET 8	CAGE CODE 074426
		DWG. NO. 646.9700	REV. D
		SCALE NONE	SHEET 2 OF 7

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.




SECTION A-A 2/C6

646.9710





ORIGINAL DATE 1/10/01		3030 ENTERPRISE CT., SUITE A	
DRAWN BY R. ROSANO		VISTA, CA 92081	
CHECKED BY P. BRAVO		(760) 724-5300	
DRAWING APPROVAL P. BRAVO		APICAL INDUSTRIES, INC. DBA DART AEROSPACE	
DATE 05-21-09		CUTTER SUB ASSEMBLY	
CONTRACT NO.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ± .01 3 PLACE DECIMALS ± .005 ANGLES ± .5°		SHEET 8	REV D
		CAGE CODE 07M26	DWG. NO. 646.9700
		SCALE NONE	SHEET 3 OF 7

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.



ORIGINAL DATE 10-01-01 05/27/07		DART 3030 ENTERPRISE CT., AEROSPACE SUITE A VISTA, CA, 92081 (760)-724-5300	
DRAWN BY R. ROSANO		CHECKED BY P. BRAVO	
DRAWING APPROVAL P. BRAVO		APICAL INDUSTRIES, INC. DBA DART AEROSPACE	
CONTRACT NO.		CUTTER SUB ASSEMBLY	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ±.5°		REV. B 07M26	REV. D
SCALE NONE		SHEET 4 OF 7	


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.



646.9711


ORIGINAL DATE: 02-29-09		3030 ENTERPRISE CT., SUITE A	
DRAWN BY: J. ROSANO		VISTA, CA. 92081	
CHECKED BY: P. BRAVO		(760)-724-5300	
DRAWING APPROVAL: P. BRAVO		APICAL INDUSTRIES INC. DBA DART AEROSPACE	
DATE: 02-29-09		CUTTER SUB ASSEMBLY	
CONTRACT NO.		REV. D	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ±.5°		SIZE: CAGE CODE: 079426	DWG. NO.: 646.9700
SCALE: NONE		SHEET: 5 OF 7	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.





ORIGINAL DATE (MM-DD-YY) 05-27-09		DART 3030 ENTERPRISE CT., SUITE A	
DRAWN BY R. ROSANO P. BRAYO		VISTA, CA 92081 (760)-724-5300	
DRAWING APPROVAL P. BRAYO 05-29-09		APICAL INDUSTRIES INC. (DBA DART AEROSPACE)	
CONTRACT NO.		CUTTER SUB ASSEMBLY	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS $\pm .01$ 3 PLACE DECIMALS $\pm .005$ ANGLES $\pm .5^\circ$		SHEET B	REV. D
SCALE NONE		DWG. NO. 646.9700	SHEET 6 OF 7

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.



646.9713



ORIGINAL DATE (MM-DD-YY)	03-29-09	DART 3030 ENTERPRISE CT., SUITE A AEROSPACE VISTA, CA 92081 (760) 724-5300 APICAL INDUSTRIES INC. DBA DART AEROSPACE	
DRAWN BY P. POSANO	P. BRAVO		
DRAWING APPROVAL P. BRAVO 03-29-09		CUTTER SUB ASSEMBLY	
CONTRACT NO.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ±.5°	SHEET	CAGE CODE B 07M26	DWG. NO. 646.9700
	SCALE	NONE	REV. D
			SHEET 7 OF 7

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								